

List of References

- [1] ACEVEDO-VELAZQUEZ, A. I.; KESHTKAR, N.; MERSCH, J.; KATZER, M.; CHERIF, C.; ZIMMERMANN, M.; GERLACH, G.; RÖBENACK, K.: *Construction, modeling, and control of a three-beam prototype using interactive fiber rubber composites. Proceedings in Applied Mathematics and Mechanics (PAMM)*, 23(4): e202300198., 2023, DOI: 10.1002/pamm.202300198
- [2] ACEVEDO-VELAZQUEZ, A. I.; WANG, Z.; WINKLER, A.; MODLER, N.; RÖBENACK, K.: Manufacturing, development and control of a two-way 3D printed soft actuator actuated with SMAs. *EASN 2023 – 13th EASN International Conference on Innovation in Aviation and Space for Opening New Horizons*, Salerno, Italy, 05.-08.09.2023
- [3] ACEVEDO-VELAZQUEZ, A. I.; WANG, Z.; WINKLER, A.; MODLER, N.; RÖBENACK, K.: *Manufacture and deformation angle control of a two-direction soft actuator integrated with SMAs. Materials*, 17(3): 758, 2024, DOI: 10.3390/ma17030758
- [4] ACEVEDO-VELAZQUEZ, A. I.; WANG, Z.; WINKLER, A.; MODLER, N.; RÖBENACK, K.: Modeling and control of the torsion angle of a 3D-printed soft composite actuated with a SMA wire. *VDI Mechatronik*, Dresden, Germany, 14.-15.03.2024
- [5] ALAMFARD, T.; LORENZ, T.; BREITKOPF, C.: Glass transition temperatures and thermal conductivities of polybutadiene crosslinked with sulfur by molecular dynamic simulations (poster). *Aachen-Dresden-Denkendorf International Textile Conference*, Dresden, Germany, 29.11.-01.12.2023
- [6] ALAMFARD, T.; LORENZ, T.; BREITKOPF, C.: *Thermal Conductivities of Uniform and Random Sulfur Crosslinking in Polybutadiene by Molecular Dynamic Simulation. Polymers*, 15(9), 2023, DOI: 10.3390/polym15092058
- [7] ALAMFARD, T.; LORENZ, T.; BREITKOPF, C.: *Glass transition temperatures and thermal conductivities of polybutadiene crosslinked with randomly distributed sulfur chains using molecular dynamic simulation. Polymers*, 16: 384, 2024, DOI: 10.3390/polym16030384
- [8] ANNADATA, A. R.; ACEVEDO-VELAZQUEZ, A. I.; WOODWORTH, L. A.; GEREKE, T.; KALISKE, M.; RÖBENACK, K.; CHERIF, C.: *Investigation and validation of a shape memory alloy material model using interactive fibre rubber composites. Materials*, 17(5): 1163, 2024, DOI: 10.3390/ma17051163
- [9] ANNADATA, A. R.; ENDESFELDER, A.; KOENIGSDORFF, M.; MERSCH, J.; GEREKE, T.; ZIMMERMANN, M.; CHERIF, C.: Evaluation of bend-twist coupling in shape memory alloy integrated fiber rubber composites. *9th ECCOMAS Thematic Conference on the Mechanical Response of Composites: COMPOSITES 2023*, Trapani, Italy, 12.-14.09.2023
- [10] ANNADATA, A. R.; LOHSE, F.; GEREKE, T.; CHERIF, C.: Experimental and numerical evaluation of force transduced by interactive fiber rubber composite structures. *21st World Textile Conference AUTEX 2022*, Lodz, Poland, 07.-10.06.2022
- [11] ANNADATA, A. R.; WANG, Z.; WOODWORTH, L.; GEREKE, T.; KALISKE, M.; MODLER, N.; CHERIF, C.: Evaluation of deformation in interactive fibre rubber composites using Woodworth-Kaliske Shape Memory Alloy material model. *93rd Annual Meeting of the International Association of Applied Mathematics and Mechanics*, Dresden, Germany, 30.05.-02.06.2023
- [12] ANNADATA, A. R.; WOODWORTH, L.; MERSCH, J.; GEREKE, T.; KALISKE, M.; CHERIF, C.: Comparison of in-built and user-defined material model for shape memory alloys on meso-scale interactive fibre rubber composites using Ansys Workbench. In: SARAVANOS, D. A.; BENJEDDOU, A.; CHRYSOCHOIDIS, N.; THEODOSIOU, T. (eds.). *SMART 2023 – Eccomas Thematic Conference on Smart Structures and Materials*, Patras, Greece, 03.-06.07.2023: 597–608

- [13] BRUNS, M.: Wet-spun and fibrous conjugated polymer actuators for interactive textiles (poster). *Electroactive Polymer Actuators and Devices (EAPAD) XXVI*, Long Beach, CA, USA, 25.-27.03.2024
- [14] BRUNS, M.; GRELLMANN, H.; CHERIF, C.: Spinning ionic electroactive polymer monofilaments for use in actuator structures. 61. *Dornbirn-GFC*, Dornbirn, Austria, 14.-16.09.2022
- [15] BRUNS, M.; KRUPPKE, I.; CHERIF, C.: Conductive PEDOT fibers: Novel fibers for use as sensors, actuators and smart textiles. 62. *Dornbirn GFC*, Dornbrin, Austria, 13.-15.09.2023
- [16] BRUNS, M.; KRUPPKE, I.; NOCKE, A.; CHERIF, C.: Wet-spinning of PEDOT: PSS fibres for use in ionic electroactive actuators. *AUTEX 2023 World Conference*, Melbourne, Australia, 26.-28.06.2023
- [17] BRUNS, M.; NOCKE, A.; KRUPPKE, I.; CHERIF, C.: Polypyrrole coated wet-spun PEDOT: PSS fibres and their electromechanical performance (poster). *EuroEAP 2023 – 11th International Conference on Soft Transducers and Electromechanically Active Polymers*, Bristol., UK, 06.-08.06.2023
- [18] ENDESFELDER, A.; ANNADATA, A. R.; WANG, Z.; KOENIGSDORFF, M.; MODLER, N.; CHERIF, C.; ZIMMERMANN, M.: Bewegungsanalyse von interaktiven Elastomer-Verbunden mittels Multi-Sensor-Kamerasystem. *Werkstoffprüfung 2023*, Berlin, Germany, 23.-24.11.2023
- [19] ENDESFELDER, A.; KOENIGSDORFF, M.: Carbon-fiber reinforced electrodes for stable dielectric elastomer actuators with increased force output. *Aachen-Dresden-Denkendorf International Textile Conference*, Dresden, Germany, 29.11.-01.12.2023
- [20] ENDESFELDER, A.; KOENIGSDORFF, M.; ULLMANN, M.; ZIMMERMANN, M.; GERLACH, G.; MERSCH, J.: Investigation of the pre-stretch-dependent stability and force output of carbon-fiber-reinforced dielectric elastomer actuators. In: MADDEN, J. D.; ANDERSON, I. A.; SHEA, H. R. (eds.). *Electroactive Polymer Actuators and Devices (EAPAD) XXV*, Long Beach, United States, 12.-17.03.2023
- [21] KLAUSLER, W.; KALISKE, M.: Meso-scale thermo-magneto-mechanical constitutive model for magneto-active elastomers. *93rd Annual Meeting of the International Association of Applied Mathematics and Mechanics*, Dresden, Germany, 30.05.-02.06.2023
- [22] KLAUSLER, W.; KALISKE, M.: *Meso-scale thermo-magneto-mechanical constitutive model for magneto-active elastomers*. *PAMM*, 2023, DOI: 10.1002/pamm.202300291
- [23] KOENIGSDORFF, M.; ACEVEDO-VELAZQUEZ, A. I.; MERSCH, J.; RÖBENACK, K.; GERLACH, G.: Investigating pre-stretch dependent blocked force and capacitive self-sensing in strip DEAs with anisotropic carbon fiber-reinforced electrodes. *EuroEAP 2023 – 11th International Conference on Soft Transducers and Electromechanically Active Polymers*, Bristol., UK, 06.-08.06.2023
- [24] KOENIGSDORFF, M.; KONSTANTINIDI, S.; MERSCH, J.; WITTICH, L. C.; BÖHMER, C. H.; PERRIARD, Y.; GERLACH, G.: Highly anisotropic carbon fiber electrodes for DEAs and their dynamic non-monotonic conductive properties. *Electroactive Polymer Actuators and Devices (EAPAD) XXVI*, Long Beach, CA, USA, 25.-27.03.2024
- [25] KOENIGSDORFF, M.; LIEBSCHER, H.; ENDESFELDER, A.; ZHANG, Q.; ZIMMERMANN, M.; GERLACH, G.: Effect of Barium Titanate Particle Filler in Soft Silicone Films on their Application in Dielectric Elastomer Actuators. *2022 International Workshop on Impedance Spectroscopy (IWIS)*, Chemnitz, Germany, 27.-30.09.2022: 88–91
- [26] KOENIGSDORFF, M.; LIEBSCHER, H.; OSIPOV, P.; MERSCH, J.; GERLACH, G.: *Influence of Active-to-Passive Ratio on the Deformation in Circular Dielectric Elastomer Actuators*. *Micromachines*, 15(1): 125, 2024, DOI: 10.3390/mi15010125

- [27] KOENIGSDORFF, M.; MERSCH, J.; GERLACH, G.: Free-standing tubular DEAs for multi-directional bending. In: MADDEN, J. D.; ANDERSON, I. A.; SHEA, H. R. (eds.). *Electroactive Polymer Actuators and Devices (EAPAD) XXV*, Long Beach, United States, 12.-17.03.2023
- [28] KOENIGSDORFF, M.; MERSCH, J.; GERLACH, G.: *Untersuchung der piezoresistiven Eigenschaften in carbonfaserverstärkten Elektroden von dielektrischen Elastomeraktoren. Technisches Messen*, 2024, DOI: 10.1515/teme-2024-0002
- [29] KOENIGSDORFF, M.; MERSCH, J.; PFEIL, S.; BRUNS, M.; GERLACH, G.: Anisotropic carbon fibre electrodes for dielectric elastomer actuators. *Actuator 2022 – International Conference on New Actuator Systems and Applications*, Mannheim, Germany, 29.-30.06.2022
- [30] KOENIGSDORFF, M.; MERSCH, J.; PFEIL, S.; GERLACH, G.: High-strain helical dielectric elastomer actuators. In: ANDERSON, Iain A.; MADDEN, John D.; SHEA, Herbert R. (eds.). *Electroactive Polymer Actuators and Devices (EAPAD) XXIV*, Long Beach, United States, 06.03. - 11.04.2022
- [31] KOENIGSDORFF, M.; PFEIL, S.; MERSCH, J.; GERLACH, G.: Tubular dielectric elastomer actuators (poster). *EuroEAP 2022 - 10th International Conference on Electromechanically Active Polymer (EAP) Transducers & Artificial Muscles*, Chianciano Terme, Italy, 07.-09.06.2022
- [32] KOENIGSDORFF, M.; WANG, Z.; WINKLER, A.; MODLER, N.; GERLACH, G.: Dielectric elastomer unimorphs with anisotropic bending stiffness: a simple and cost effective manufacturing approach using thermoplastic dielectric and 3D printed electrodes (poster). *EuroEAP 2023 – 11th International Conference on Soft Transducers and Electromechanically Active Polymers*, Bristol., UK, 06.-08.06.2023
- [33] LIEBSCHER, H.; ENDEFELDER, A.; KOENIGSDORFF, M.; MERSCH, J.; ZIMMERMANN, M.; GERLACH, G.: Influence of the active-to-passive area ratio on the electrically induced strain of a fiber-reinforced dielectric elastomer actuator. In: MADDEN, J. D.; ANDERSON, I. A.; SHEA, H. R. (eds.). *Electroactive Polymer Actuators and Devices (EAPAD) XXV*, Long Beach, United States, 12.-17.03.2023
- [34] LIEBSCHER, H.; GERLACH, G.: Impact of moisture absorption on the performance of polyurethane-based dielectric elastomer actuators (submitted). *Electroactive Polymer Actuators and Devices (EAPAD) XXVI*, Long Beach, CA, USA, 25.-27.03.2024
- [35] LIEBSCHER, H.; KOENIGSDORFF, M.; ENDEFELDER, A.; MERSCH, J.; ZIMMERMANN, M.; GERLACH, G.: *Understanding the Impact of Active-to-Passive Area Ratio on Deformation in One-Dimensional Dielectric Elastomer Actuators with Uniaxial Strain State. Materials*, 16(21): 6897, 2023, DOI: 10.3390/ma16216897
- [36] LIEBSCHER, H.; KOENIGSDORFF, M.; MERSCH, J.; GERLACH, G.: Influence of the active to-passive coverage ratio on electro-active strain in dot actuators (poster). *EuroEAP 2023 – 11th International Conference on Soft Transducers and Electromechanically Active Polymers*, Bristol., UK, 06.-08.06.2023
- [37] LIEBSCHER, H.; NIRMALA SURESH, J.; KOENIGSDORFF, M.; TAHIR, M.; WIESSNER, S.; GERLACH, G.: Comparative Study of Barium Titanate-filled Polyurethane and Hydrogenated Nitrile Butadiene Rubber as Electroactive Polymer Composites. *2022 International Workshop on Impedance Spectroscopy (IWIS)*, Chemnitz, Germany, 27.-30.09.2022: 79–84
- [38] LIEBSCHER, H.; NIRMALA SURESH, J.; LI, H.; MERSCH, J.; WIEßNER, S.; GERLACH, G.: Humidity Dependence of the Dielectric Constant of a Thermosetting Polyurethane. *2023 International Workshop on Impedance Spectroscopy (IWIS)*, Chemnitz, Germany, 26.-29.09.2023: 63–66
- [39] LIEBSCHER, H.; TAHIR, M.; WIESSNER, S.; GERLACH, G.: Effect of barium titanate particle filler on the performance of polyurethane-based dielectric elastomer actuators. In: ANDERSON, Iain A.; MADDEN, John D.; SHEA, Herbert R. (eds.). *Electroactive Polymer Actuators and Devices (EAPAD) XXIV*, Long Beach, United States, 06.03. - 11.04.2022: 41

- [40] MANDAL, S.; MALANIN, M.; GHANTI, B.; BANERJEE, S.; SAWADA, J.; TADA, T.; HEINRICH, G.; WIEßNER, S.; DAS, A.: *Design of sacrificial network in modified natural rubber leads to strikingly improved mechanical performance with self-healing capability. Chemical Engineering Journal*, 474: 145838, 2023, DOI: 10.1016/j.cej.2023.145838
- [41] MEENA, K. K.; ARIEF, I.; GHOSH, A. K.; LIEBSCHER, H.; HAIT, S.; NAGEL, J.; HEINRICH, G.; FERY, A.; DAS, A.: *3D-Printed Stretchable Hybrid Piezoelectric-Triboelectric Nanogenerator for Smart Tire: Onboard Real-Time Tread Wear Monitoring System. Nano Energy*: 108707, 2023, DOI: 10.1016/j.nanoen.2023.108707
- [42] MERSCH, J.; KESHTKAR, N.; GRELLMANN, H.; GOMEZ CUARAN, C. A.; BRUNS, M.; NOCKE, A.; CHERIF, C.; RÖBENACK, K.; GERLACH, G.: *Integrated Temperature and Position Sensors in a Shape-Memory Driven Soft Actuator for Closed-Loop Control. Materials*, 15(2), 2022, DOI: 10.3390/ma15020520
- [43] MERSCH, J.; WITHAM, M.; KOENIGSDORFF, M.; SOLZBACHER, F.; GERLACH, G.: Continuous, highly efficient production of twisted monofilaments for twisted coiled polymer actuators. *Actuator 2022 – International Conference on New Actuator Systems and Applications*, Mannheim, Germany, 29.-30.06.2022
- [44] NIRMALA SURESH, J.; ARIEF, I.; NASKAR, K.; HEINRICH, G.; TAHIR, M.; WIEßNER, S.; DAS, A.: *The role of chemical microstructures and compositions on the actuation performance of dielectric elastomers: A materials research perspective. Nano Select*, 4(5): 289–315, 2023, DOI: 10.1002/nano.202200254
- [45] NIRMALA SURESH, J.; LIEBSCHER, H.; KOMBER, H.; TAHIR, M.; GERLACH, G.; WIEßNER, S.: *Network Formation, Properties, and Actuation Performance of Functionalized Liquid Isoprene Rubber. ACS Omega*, 2024, DOI: 10.1021/acsomega.3c08022
- [46] NIRMALA SURESH, J.; LIEBSCHER, H.; TAHIR, M.; GERLACH, G.; WIEßNER, S.: Tailoring the electro mechanical actuation performance of liquid diene rubbers. *International Rubber Conference (IRC)*, Bengaluru, India, 24.-26.11.2022
- [47] NIRMALA SURESH, J.; LIEBSCHER, H.; TAHIR, M.; GERLACH, G.; WIEßNER, S.: Characterization of Dielectric Elastomer Actuators Based on Functionalized Liquid Isoprene Rubber for Soft Robotics Applications. *International Elastomer Conference*, Cleveland, OH, USA, 16.-19.10.2023
- [48] NIRMALA SURESH, J.; LIEBSCHER, H.; TAHIR, M.; GERLACH, G.; WIEßNER, S.: Developing liquid rubber's electromechanical actuation capabilities for soft robotic applications. *RubberCon*, Edingburgh, UK, 09.-11.05.2023
- [49] ROGHANI, M.; ROMEIS, D.; SAPHIANNIKOVA, M.: Effect of microstructure evolution on the behavior of magneto-active elastomers (poster). *RubberCon*, Edingburgh, UK, 09.-11.05.2023
- [50] ROGHANI, M.; ROMEIS, D.; SAPHIANNIKOVA, M.: *Effect of microstructure evolution on the mechanical behavior of magneto-active elastomers with different matrix stiffness. Soft matter*, 19(33): 6387–6398, 2023, DOI: 10.1039/D3SM00906H
- [51] ROGHANI, M.; ROMEIS, D.; SAPHIANNIKOVA, M.: Modeling magnetic induced deformation of cylindrical magneto active elastomers considering microstructure evolution (poster). *Aachen-Dresden-Denkendorf International Textile Conference*, Dresden, Germany, 29.11.-01.12.2023
- [52] ROGHANI, M.; ROMEIS, D.; SAPHIANNIKOVA, M.: Modeling micro-structure evolution and its impact on moduli in magneto-active elastomers. *DPG SKM 2023, CPP 13: Composites and Functional Polymer Hybrids*, Dresden, Germany, 27.03.2023
- [53] SCHNEIDER, K.; XIANG, F.; MISHRA, D.; HEINRICH, G.: *Fatigue crack propagation of silica and carbon black filled natural rubber at elevated temperatures. International Journal of Fatigue*, 177: 107968, 2023, DOI: 10.1016/j.ijfatigue.2023.107968

- [54] STOCEK, R.; BATA, T.; HEINRICH, G.; KIPSCHOLL, R.: *Assessing tire wear. Tire Technology International 2023 Annual Review*: 24–27, 2023
- [55] VANĚK, J.; PETER, O.; HEINRICH, G.; STOČEK, R.: 2D Transient Thermal Analytical Solution of the Heat Build-Up in Cyclically Loaded Rubber Cylinder. In: *Advances in Polymer Science*. Berlin, Heidelberg : Springer Berlin Heidelberg. 2023: 1–22
- [56] WANG, Z.; ACEVEDO-VELAZQUEZ, A. I.; ANNADATA, A. R.: Predicting and controlling the deformation of shape memory alloy-driven soft actuators. *Aachen-Dresden-Denkendorf International Textile Conference*, Dresden, Germany, 29.11.-01.12.2023
- [57] WANG, Z.; ACEVEDO-VELAZQUEZ, A. I.; ANNADATA, A. R.; WINKLER, A.; RÖBENACK, K.; MODLER, N.: *Closed-loop control of a 3D printed soft actuator with integrated flex sensors and SMA wires. Journal of Physics: Conference Series*, 2024 (accepted)
- [58] WANG, Z.; ANNADATA, A. R.; WINKLER, A.; BATH, R.; ENDESFELDER, A.; CHERIF, C.; ZIMMERMANN, M.; MODLER, N.: Experimental and numerical investigation of 3D printed elastomeric composite with integrated SMA actuator. In: SARAVANOS, D. A.; BENJEDDOU, A.; CHRYSOCHOIDIS, N.; THEODOSIOU, T. (eds.). *SMART 2023 – Ecomas Thematic Conference on Smart Structures and Materials*, Patras, Greece, 03.-06.07.2023: 1703–1714
- [59] WANG, Z.; ZICHNER, M.; MODLER, N.; HANKE, U.; WINKLER, A.: Synthese des Verformungsverhaltens von nachgiebigen Elementen mittels Phasenportrait-Methode. *Getriebetagung*, Chemnitz, Germany, 22.-23.09.2022: 109–120
- [60] WOLLMANN, J.; MUSCHALSKI, L.; WANG, Z.; ZICHNER, M.; WINKLER, A.; MODLER, N.: *Application of genetic algorithm for the synthesis of path-generating compliant mechanisms. Smart Materials and Structures*, 33(1): 15023, 2024, DOI: 10.1088/1361-665X/ad0b93